



**1** Sicherheit Security Securité Sicurezza Seguridad Veiligheid  
 Bezpiecze stwo Securitate

 PROFESSIONAL				

AFRISO-EURO-INDEX GmbH



Lindenstr. 20  
74363 Güglingen

Tel: +49 7135 102- 0  
Fax: +49 7135 102-147















info@afriso.com  
www.afriso.com






**2** Produkt Product Prouit Producto Prodotto Product Produkt Produs

	Art. No.	Ø	min. °C	max. °C	≤ 2h	bar min	bar max	
 A B	77700	A - G 3/8 B - R 3/8	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77706	A - G 3/8 B - R 1/2	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77710	G 3/8	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77752	G 1/2	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77766	G 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
	77761	G 1/2	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
 77729   77730 A B	77729	G 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
	77730	A - G 3/8 B - R 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
	77753	R 1/2 DIN 3858	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar		
 77900   77996	77900	G 3/8	≥ -20 °C	≤ 150 °C	≤ 170 °C	≥ 0,2 bar	≤ 6 bar	
	77996	G 3/8	≥ -20 °C	≤ 150 °C	≤ 170 °C	≥ 0,2 bar	≤ 6 bar	





 77326      77327	77326	G 3/8	≥ - 20°C	≥ 110 °C	≥ 120 °C	≥ 0,2 bar	≥ 12 bar	
	77327	A - G 3/8 B - R 1/2	≥ - 20°C	≥ 110 °C	≥ 120 °C	≥ 0,2 bar	≥ 12 bar	

**3** Montage Mounting Montage Montaje Montaggio Montage Monta Instalarea





**4** Betrieb Operation Service Operación Operazione Bedrijf Eksploatacja Opera ie





- > 6 Monate
- > 6 month
- > 6 mois
- > 6 meses
- > 6 mesi
- > 6 maanden
- > 6 mjesi ce
- > 6 luni

